APPLICATION FOR DOW CORNING® PERFORMANCE WARRANTIES

TYPE OF WARRANTY AND PRODUCTS USED: (Please check the product used under the warranty type)

Weatherseal Warranty	Dow Corning® 123 Silicone Seal System			
Dow Corning® 756 SMS Building Sealant	Dow Corning® 123 Silicone Seal with (must select)			
Dow Corning® 758 Silicone Weather Barrier Sealant	Dow Corning® 791 Silicone Weatherproofing Sealant or			
Dow Corning® 790 Silicone Building Sealant	Dow Corning® 795 Silicone Building Sealant			
Dow Corning® 791 Silicone Weatherproofing Sealant	And may also include			
Dow Corning® 795 Silicone Building Sealant	Dow Corning® AllGuard Silicone Elastomeric Coating			
Dow Corning® 983 Structural Glazing Sealant				
Dow Corning® 995 Silicone Structural Sealant	1			
Dow Corning® Contractors Weatherproofing Sealant	1			
Dow Corning® Contractors Concrete Sealant	1			
Dow Corning® 121 Structural Glazing Sealant]			
Structural Adhesive Warranty	Parking Structure Warranty			
Dow Corning® 795 Silicone Building Sealant	Dow Corning® FC Parking Structure Sealant			
Dow Corning® 793 Shicone Building Sealant Dow Corning® 983 Structural Glazing Sealant	Dow Corning® NS Parking Structure Sealant Dow Corning® NS Parking Structure Sealant			
Dow Corning® 995 Silicone Structural Sealant	Dow Corning® SL Parking Structure Sealant			
Dow Corning ® 121 Structural Glazing Sealant	1			
AllGuard Coating Warranty				
Dow Corning® AllGuard Silicone Elastomeric Coating	\rightarrow			
(Square footage covered and AllGuard amounts required)				
Dow Corning® Silicone Air Barrier System				
Dow Corning® DefendAir 200				
(Square footage covered and DefendAir 200 amounts required)	$ \rightarrow $			
Dow Corning® Silicone Transition System				
Dow Corning® 758 Silicone Weather Barrier Sealant	1			
Dow Corning® 791 Silicone Weatherproofing Sealant	1			
Dow Corning® 795 Silicone Building Sealant]			
Day Couning Silicone Transition System	1			
Dow Corning® Silicone Transition System	4			
Dow Corning® Silicone Transition Strip	4			
Dow Corning® Silicone Transition Molded Corner	4			
Dow Corning® 756 SMS Building Sealant	4			
Dow Corning ® 758 Silicone Weather Barrier Sealant	4			
Dow Corning® 791 Silicone Weatherproofing System	4			
Dow Corning® 795 Silicone Building Sealant	1			
PROJECT IDENTIFICATION:	REQUEST DATE:			
Project Name:				
Job Name:				
Street Address:				
Location:				
City/State/Province/Postal Code				

Name of the B	uilding Owner	to be o	on the Warranty					
Contact			-		Phone			
Name:					Number:			
Company					Fax			
Name:					Number:			
Street					Email			
Address:					Address:			
City/State/					Company			
Postal Code:					Website:			
were installed on electronic literatu weatherseal appli	olicant (Contractor the referenced printer and further cer- cations.	roject ac rtifies th	icator) attests that the cording to Dow Coat only DOW COR	rning red NING®	quirements set f brand products	forth in Dow Co	orning's publi	shed of
Name:					Number:			
Company					Fax			
					Number:			
Name:								
Street					Email			
Address:					Address:			
City/State/					Company			
Postal Code:	D 1 4		1 1 1 4.6.	11 4	Website:	D: 4 '1 4		
	Products wer	e purc	hased and certifi	ea by t		Distributor:		
Contact					Phone			
Name:					Number:			
Company					Fax			
Name:					Number:			
Street					Email			
Address:					Address:			
City/State/					Company			
Postal Code:					Website:			
Has Dow Corning of its Authorized Distributor Been Fully Paid for the Products Used PROJECT INFORMATION: Yes No								
Start Date		Rec	quired: Completio	n Date (of Sealant Insta	allation		
T	(:							
Term of Warrant	y (in years)							
New or			Restoration			Mumb	er of Stories	
New of			Restoration			Nullio	ei oi siones	
Façade Square I	Footage Sealed		* Total		North	South	East	West
Surface Type								
Joint Type (weatherseal, structural, 123, cap bead, expansion, perimeter, spandrel, other):								
Joint Size (width x depth) Linear Feet								
Dow Corning® brand Products Used:								
Coolers / * APC	and Carthy / P		Colon			* 0		
Sealant / * AllG	uara Coating / P	rimer	Color			* Quantity		
1			1			1		

^{*} If AllGuard or DefendAir 200 was used, you are required to list the Total Square Footage and Amounts Used (pails or gallons)

ADDITIONAL REQUIREMENTS for the Structural Adhesion Limited Warranty:

· ·	·
Have the following Dow Corning requirements been met? Blueprint Review Lab Adhesion Testing Lab Compatibility Testing	
Warranty application should include, as attachments, to to a Blueprint Review Letters, - Adhesion Testing Recommendation Letters and - Compatibility Testing Recommendation Letters so (For faster processing of your warranty application, please fast	ent by Dow Corning.
PLEASE ATTACH ANY ADDITIONAL INFORMATION YOU FEEL IS REVIEWS, ETC.	APPROPRIATE FOR THIS PROJECT, I.E., PHOTOS, CONSULTANT
WHEN THE FORM IS COMPLETED, FAX OR EMAIL	THIS FORM AND OTHER DOCUMENTS TO:
construction.warranty@dowcorning.com	Phone: (989) 496-3295

Fax: (989) 496-5324